

# FINAL JEE-MAIN EXAMINATION - JANUARY, 2024

(Held On Saturday 27th January, 2024)

## TIME: 9:00 AM to 12:00 NOON


### **CHEMISTRY**

#### **SECTION-A**


- **61.** Two nucleotides are joined together by a linkage known as :
  - (1) Phosphodiester linkage
  - (2) Glycosidic linkage
  - (3) Disulphide linkage
  - (4) Peptide linkage

Ans. (1)

Sol. Phosphodiester linkage



**62.** Highest enol content will be shown by:



Ans. (2)

Aromatic

- **63.** Element not showing variable oxidation state is :
  - (1)Bromine
- (2)Iodine
- (3)Chlorine
- (4)Fluorine


Ans. (4)


**Sol.** Fluorine does not show variable oxidation state.

## **TEST PAPER WITH SOLUTION**

**64.** Which of the following is strongest Bronsted base?









Ans. (4)

Sol. N ← localised lone pair & sp³

- **65.** Which of the following electronic configuration would be associated with the highest magnetic moment?
  - (1) [Ar]  $3d^7$
- (2)  $[Ar] 3d^8$
- $(3) [Ar] 3d^3$
- $(4) [Ar] 3d^6$

Ans. (4)

Sol.

	$3d^7$	$3d^8$	$3d^3$	$3d^6$
No.of.	3	2	3	4
unpaired e				
Spin only	$\sqrt{15}$	$\sqrt{8}$	$\sqrt{15}$	$\sqrt{24}$
Magnetic	BM	BM	BM	BM
moment				

ALLEN
AI POWERED APP



Free Crash Courses for Class 10th | NEET | JEE



**66.** Which of the following has highly acidic hydrogen?

$$(1) H_3 C \xrightarrow{\overset{O}{C}} \overset{C}{\underset{\overset{\parallel}{C}}{\underset{O}{C}}} CH_3$$

$$(2) H_3 C CH_2 CH_2 CH_2 CH_2$$

$$(3) H_3 C - CH_3$$

$$(4) \begin{array}{c|c} H_3C & CH_2 & CH_2 \\ C & CH_2 & CH_2 \\ C &$$

Ans. (4)

Sol. 
$$H_3C$$
  $CH_2$   $CH_2$   $CH_3$   $CH$ 

$$\begin{array}{c|c}
O & O \\
\parallel & \parallel \\
C & CH \\
\hline
O & CH_2-CH_3
\end{array}$$

Conjugate base is more stable due to more resonance of negative charge.

- **67.** A solution of two miscible liquids showing negative deviation from Raoult's law will have :
  - (1) increased vapour pressure, increased boiling point
  - (2) increased vapour pressure, decreased boiling point
  - (3) decreased vapour pressure, decreased boiling point
  - (4) decreased vapour pressure, increased boiling point

Ans. (4)

**Sol.** Solution with negative deviation has

$$P_T\!\!< P_A{}^0\!X_A + P_B{}^0\!X_B$$

 $P_A < P_A^0 X_A$ 

 $P_B < P_B 0 X_B$ 

If vapour pressure decreases so boiling point increases.

**68.** Consider the following complex ions

$$P = [FeF_6]^{3-}$$

$$Q = [V(H_2O)_6]^{2+}$$

$$R = [Fe(H_2O)_6]^{2+}$$


The correct order of the complex ions, according to their spin only magnetic moment values (in B.M.) is:

- (1) R < Q < P
- (2) R < P < Q
- (3) Q < R < P
- (4) Q < P < R

Ans. (3)

**Sol.**  $[FeF_6]^{3-}$ :  $Fe^{+3}$ : [Ar]  $3d^5$ 

F: Weak field Ligand



No. of unpaired electron's = 5

$$\mu = \sqrt{5(5+2)}$$

$$\mu = \sqrt{35} BM$$

 $[V(H_2O)_6]^{+2}:V^{+2}:3d^3$ 

# 1111

No. of unpaired electron's = 3

$$\mu = \sqrt{3(3+2)}$$

$$\mu = \sqrt{15} BM$$

$$[Fe(H_2O)_6]^{+2}: Fe^{+2}: 3d^6$$

H<sub>2</sub>O: Weak field Ligand 1 1 1 1 1

No. of unpaired electron's = 4

$$\mu = \sqrt{4(4+2)}$$

$$\mu = \sqrt{24} \text{ BM}$$

- **69.** Choose the polar molecule from the following:
  - (1) CCl<sub>4</sub>
- (2) CO<sub>2</sub>
- (3)  $CH_2 = CH_2$
- (4) CHC1<sub>3</sub>

Ans. (4)

**u**≠ (

CHCl<sub>3</sub> is polar molecule and rest all molecules are non-polar.

ALLEN
AI POWERED APP



Free Crash Courses for Class 10<sup>th</sup> | NEET | JEE



## Final JEE-Main Exam January, 2024/27-01-2024/Morning Session

**70.** Given below are two statements:

**Statement (I):** The 4f and 5f - series of elements are placed separately in the Periodic table to preserve the principle of classification.

**Statement (II)**: S-block elements can be found in pure form in nature. In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Statement I is true but Statement II is false
- (4) Both Statement I and Statement II are false

Ans. (3)

**Sol.** s-block elements are highly reactive and found in combined state.

71. Given below are two statements:

**Statement (I):** p-nitrophenol is more acidic than m-nitrophenol and o-nitrophenol.

**Statement (II) :** Ethanol will give immediate turbidity with Lucas reagent.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is false but Statement II is true

Ans. (1)

Sol. Acidic strength

Ethanol give lucas test after long time

Statement (I) $\rightarrow$ correct

Statement (II)  $\rightarrow$  incorrect

**72.** The ascending order of acidity of –OH group in the following compounds is :

$$(A) Bu - OH$$

$$(D)$$
 OH

Choose the correct answer from the options given below:

Ans. (4)

73. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Melting point of Boron (2453 K) is unusually high in group 13 elements.

**Reason (R):** Solid Boron has very strong crystalline lattice.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both (A) and (R) are correct but (R) Is not the correct explanation of (A)
- (2) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (3) (A) is true but (R) is false
- (4) (A) is false but (R) is true

Ans. (2)

**Sol.** Solid Boron has very strong crystalline lattice so its melting point unusually high in group 13 elements

**74.** Cyclohexene

is \_\_\_\_\_ type of an

organic compound.

- (1) Benzenoid aromatic
- (2) Benzenoid non-aromatic
- (3) Acyclic
- (4) Alicyclic

Ans. (4)

Sol.

is Alicyclic

- **75.** Yellow compound of lead chromate gets dissolved on treatment with hot NaOH solution. The product of lead formed is a :
  - (1) Tetraanionic complex with coordination number six
  - (2) Neutral complex with coordination number four
  - (3) Dianionic complex with coordination number six
  - (4) Dianionic complex with coordination number four

Ans. (4)

**Sol.** PbCrO<sub>4</sub> + NaOH (hot excess)  $\rightarrow$  [Pb(OH)<sub>4</sub>]<sup>-2</sup> + Na<sub>2</sub>CrO<sub>4</sub>

Dianionic complex with coordination number four

**76.** Given below are two statements :

**Statement (I)**: Aqueous solution of ammonium carbonate is basic.

**Statement (II):** Acidic/basic nature of salt solution of a salt of weak acid and weak base depends on  $K_a$  and  $K_b$  value of acid and the base forming it.


In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Statement I is correct but Statement II is incorrect
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is incorrect but Statement II is correct

Ans. (1)

**Sol.** Aqueous solution of (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>is Basic pH of salt of weak acid and weak base depends on Ka and Kb value of acid and the base forming it

77. IUPAC name of following compound (P) is:



- (1) l-Ethyl-5, 5-dimethylcyclohexane
- (2) 3-Ethyl-1,1-dimethylcyclohexane
- (3) l-Ethyl-3, 3-dimethylcyclohexane
- (4) l,l-Dimethyl-3-ethylcyclohexane

Ans. (2)

Sol.



3-ethy 1, 1 -dimethylcyclohexane

- 78. NaCl reacts with conc. H<sub>2</sub>SO<sub>4</sub> and K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> to give reddish fumes (B), which react with NaOH to give yellow solution (C). (B) and (C) respectively are;
  - (1) CrO<sub>2</sub>Cl<sub>2</sub>, Na<sub>2</sub>CrO<sub>4</sub>
- (2) Na<sub>2</sub>CrO<sub>4</sub>, CrO<sub>2</sub>Cl<sub>2</sub>
- (3) CrO<sub>2</sub>Cl<sub>2</sub>, KHSO<sub>4</sub>
- (4) CrO<sub>2</sub>Cl<sub>2</sub>, Na<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub>

Ans. (1)

**Sol.** NaCl + conc.  $H_2SO_4 + K_2Cr_2O_7$ 

$$\rightarrow$$
CrO<sub>2</sub>Cl<sub>2</sub> + KHSO<sub>4</sub> + NaHSO<sub>4</sub> +H<sub>2</sub>O  
(B)

Reddish brown

$$CrO_2Cl_2 + NaOH \rightarrow Na_2CrO_4 + NaCl + H_2O$$
(C)

Yellow colour

- **79.** The correct statement regarding nucleophilic substitution reaction in a chiral alkyl halide is ;
  - (1) Retention occurs in  $S_N l$  reaction and inversion occurs in  $S_N 2$  reaction.
  - (2) Racemisation occurs in  $S_N l$  reaction and retention occurs in  $S_N 2$  reaction.
  - (3) Racemisation occurs in both  $S_{\rm N}1$  and  $S_{\rm N}2$  reactions.
  - (4) Racemisation occurs in  $S_N 1$  reaction and inversion occurs in  $S_N 2$  reaction.

Ans. (4)

- **Sol.**  $SN^1$  Racemisation
  - $SN^2$  Inversion

ALLEN
AI POWERED APP



Free Crash Courses for Class 10<sup>th</sup> | NEET | JEE

CLICK HERE TO DOWNLOAD

## Final JEE-Main Exam January, 2024/27-01-2024/Morning Session



**80.** The electronic configuration for Neodymium is:

[Atomic Number for Neodymium 60]

- $(1)[Xe] 4f^4 6s^2$
- (2) [Xe]  $5f^47s^2$
- (3) [Xe]  $4f^6 6s^2$
- (4) [Xe]  $4f^15d^16s^2$

Ans. (1)

**Sol.** Electronic configuration of Nd(Z = 60) is; [Xe]  $4f^4 6s^2$ 

#### **SECTION-B**

- **81.** The mass of silver (Molar mass of Ag : 108 gmol<sup>-1</sup>) displaced by a quantity of electricity which displaces 5600 mL of O<sub>2</sub> at S.T.P. will be g.
- Ans. 107 gm or 108
- **Sol.** Eq. of Ag = Eq. of  $O_2$ Let x gm silver displaced,

$$\frac{x \times 1}{108} = \frac{5.6}{22.7} \times 4$$

(Molar volume of gas at STP = 22.7 lit)

x = 106.57 gm

Ans. 107

OR.

as per old STP data, molar volume=22.4 lit

$$\frac{x \times 1}{108} = \frac{5.6}{22.4} \times 4$$
,  $x = 108$  gm.

Ans. 108

82. Consider the following data for the given reaction

$$2HI_{(g)} \rightarrow H_{2(g)} + I_{2(g)}$$

2

 $HI \text{ (mol } L^{-1})$ 

0.005 0.01

0.02

3

Rate (mol L<sup>-1</sup>s-1)  $7.5 \times 10^{-4} 3.0 \times 10^{-3} 1.2 \times 10^{-2}$ 

The order of the reaction is \_\_\_\_\_

Ans. (2)

**Sol.** Let,  $R = k[HI]^n$ 

using any two of given data,

$$\frac{3 \times 10^{-3}}{7.5 \times 10^{-4}} = \left(\frac{0.01}{0.005}\right)^{n}$$

n = 2

**83.** Mass of methane required to produce 22 g of CO<sub>2</sub> after complete combustion is g.

(Given Molar mass in g mol–1

C = 12.0

$$H = 1.0$$

$$O = 16.0$$
)

Ans. (8)

Sol. 
$$CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$$

Moles of 
$$CO_2 = \frac{22}{44} = 0.5$$

So, required moles of  $CH_4 = 0.5$ 

$$Mass = 0.5 \times 16 = 8gm$$

84. If three moles of an ideal gas at 300 K expand isothermally from 30 dm³ to 45 dm³ against a constant opposing pressure of 80 kPa, then the amount of heat transferred is

J.

Ans. (1200)

Sol. Using, first law of thermodynamics,

$$\Delta U = Q + W$$
,

 $\Delta U = 0$ : Process is isothermal

$$Q = -W$$

 $W = -P_{ext}\Delta V$ : Irreversible

$$= -80 \times 10^3 (45 - 30) \times 10^{-3}$$

= -1200 J

**85.** 3-Methylhex-2-ene on reaction with HBr in presence of peroxide forms an addition product (A). The number of possible stereoisomers for 'A' is


Ans. (4)


2chiral centres


No. of stereoisomers = 4



**86.** Among the given organic compounds, the total number of aromatic compounds is







Ans. (3)

Sol. B,C and D are Aromatic

**87.** Among the following, total number of meta directing functional groups is (Integer based)

Ans. (4)

**Sol.**  $-NO_2$ ,  $-C \equiv N$ , -COR, -COOH are meta directing.

88. The number of electrons present in all the completely filled subshells having n=4 and  $s = +\frac{1}{2}$  is \_\_\_\_\_.

(Where n = principal quantum number and s = spin quantum number)

Ans. (16)

**Sol.** n = 4 can have,

·	<b>4s</b>	4p	4d	4f
Total e	2	6	10	14
Total e with $S = +\frac{1}{2}$	1	3	5	7

So, Ans.16

**89.** Sum of bond order of CO and NO<sup>+</sup> is \_\_\_\_\_.


Ans. (6)

Sol.  $CO \Rightarrow \overline{C} \equiv O$  : BO = 3 $NO^+ \Rightarrow N \equiv O^+$  : BO = 3

90. From the given list, the number of compounds with + 4 oxidation state of Sulphur \_\_\_\_\_.
SO<sub>3</sub>, H<sub>2</sub>SO<sub>3</sub>, SOCl<sub>2</sub>, SF<sub>4</sub>, BaSO<sub>4</sub>, H<sub>2</sub>S<sub>2</sub>O<sub>7</sub>

Ans. (3) Sol.

Compounds	SO <sub>3</sub>	H <sub>2</sub> SO <sub>3</sub>	SOCl <sub>2</sub>	SF <sub>4</sub>	BaSO <sub>4</sub>	$H_2S_2O_7$
O.S.of Sulphur:	+6	+4	+4	+4	+6	+6





# SCALE UP YOUR SCORE! with ALLEN SCORE TEST PAPERS



Total 10 Full syllabus papers



Paper Analysis of JEE Advanced 2023



By **ALLEN**Subject Experts



**Answer key** with Solutions

Scan QR to Buy





