

**FINAL JEE-MAIN EXAMINATION – JULY, 2022**
**(Held On Thursday 28<sup>th</sup> July, 2022)**
**TIME : 3 : 00 PM to 6 : 00 PM**
**CHEMISTRY**
**TEST PAPER WITH ANSWER**
**SECTION-A**

1. Given below are two statements : One is labelled as **Assertion A** and the other is labelled as **Reason R**  
**Assertion A** : Zero orbital overlap is an out of phase overlap.

**Reason** : It results due to different orientation/direction of approach of orbitals.

In the light of the above statements. Choose the **correct** answer from the options given below

- (A) Both A and R are true and R is the correct explanation of A  
 (B) Both A and R are true but R is NOT the correct explanation of A  
 (C) A is true but R is false  
 (D) A is false but R is true

**Official Ans. by NTA (A)**

**Allen Ans. (A)**

2. The correct decreasing order for metallic character is

- (A) Na > Mg > Be > Si > P  
 (B) P > Si > Be > Mg > Na  
 (C) Si > P > Be > Na > Mg  
 (D) Be > Na > Mg > Si > P

**Official Ans. by NTA (A)**

**Allen Ans. (A)**

3. Given below are two statements : One is labelled as **Assertion A** and the other is labelled as **Reason R**  
**Assertion A** : The reduction of a metal oxide is easier if the metal formed is in liquid state than solid state.

**Reason R** : The value of  $\Delta G^\ominus$  becomes more on negative side as entropy is higher in liquid state than solid state.

In the light of the above statements. Choose the most appropriate answer from the options given below

- (A) Both A and R are correct and R is the correct explanation of A  
 (B) Both A and R are correct but R is NOT the correct explanation of A  
 (C) A is correct but R is not correct  
 (D) A is not correct but R is correct

**Official Ans. by NTA (A)**

**Allen Ans. (A)**

4. The products obtained during treatment of hard water using Clark's method are:

- (A)  $\text{CaCO}_3$  and  $\text{MgCO}_3$   
 (B)  $\text{Ca(OH)}_2$  and  $\text{Mg(OH)}_2$   
 (C)  $\text{CaCO}_3$  and  $\text{Mg(OH)}_2$   
 (D)  $\text{Ca(OH)}_2$  and  $\text{MgCO}_3$

**Official Ans. by NTA (C)**

**Allen Ans. (C)**

5. **Statement I**: An alloy of lithium and magnesium is used to make aircraft plates.

**Statement II** : The magnesium ions are important for cell-membrane integrity.

In the light the above statements, choose the **correct** answer from the options given below

- (A) Both Statement I and Statement II are true  
 (B) Both Statement I and Statement II are false  
 (C) Statement I is true but Statement II is false  
 (D) Statement I is false but Statement II is true

**Official Ans. by NTA (B)**

**Allen Ans. (B)**

6. White phosphorus reacts with thionyl chloride to give

- (A)  $\text{PCl}_5$ ,  $\text{SO}_2$  and  $\text{S}_2\text{Cl}_2$  (B)  $\text{PCl}_3$ ,  $\text{SO}_2$  and  $\text{S}_2\text{Cl}_2$   
 (C)  $\text{PCl}_3$ ,  $\text{SO}_2$  and  $\text{Cl}_2$  (D)  $\text{PCl}_5$ ,  $\text{SO}_2$  and  $\text{Cl}_2$

**Official Ans. by NTA (B)**

**Allen Ans. (B)**

7. Concentrated  $\text{HNO}_3$  reacts with Iodine to give

- (A)  $\text{HI}$ ,  $\text{NO}_2$  and  $\text{H}_2\text{O}$  (B)  $\text{HIO}_2$ ,  $\text{N}_2\text{O}$  and  $\text{H}_2\text{O}$   
 (C)  $\text{HIO}_3$ ,  $\text{NO}_2$  and  $\text{H}_2\text{O}$  (D)  $\text{HIO}_4$ ,  $\text{N}_2\text{O}$  and  $\text{H}_2\text{O}$

**Official Ans. by NTA (C)**

**Allen Ans. (C)**

8. Which of the following pair is not isoelectronic species?

(At. no. Sm, 62; Er, 68; Yb, 70; Lu, 71; Eu, 63; Tb, 65; Tm, 69)

- (A)  $\text{Sm}^{2+}$  and  $\text{Er}^{3+}$       (B)  $\text{Yb}^{2+}$  and  $\text{Lu}^{3+}$   
 (C)  $\text{Eu}^{2+}$  and  $\text{Tb}^{4+}$       (D)  $\text{Tb}^{2+}$  and  $\text{Tm}^{4+}$

**Official Ans. by NTA (A or D)**

**Allen Ans. (A & D)**

9. Given below are two statements : One is labelled as **Assertion A** and the other is labelled as **Reason R**

**Assertion A** : Permanganate titrations are not performed in presence of hydrochloric acid.

**Reason R** : Chlorine is formed as a consequence of oxidation of hydrochloric acid.

In the light of the above statements, choose the **correct** answer from the options given below

- (A) Both A and R are true and R is the correct explanation of A  
 (B) Both A and R are true but R is NOT the correct explanation of A  
 (C) A is true but R is false  
 (D) A is false but R is true

**Official Ans. by NTA (A)**

**Allen Ans. (A)**

10. Match List I with List II

	List I (Complex)		List II (Hybridization)
A	$\text{Ni}(\text{CO})_4$	I	$\text{sp}^3$
B	$[\text{Ni}(\text{CN})_4]^{2-}$	II	$\text{sp}^3\text{d}^2$
C	$[\text{Co}(\text{CN})_6]^{3-}$	III	$\text{d}^2\text{sp}^3$
D	$[\text{CoF}_6]^{3-}$	IV	$\text{dsp}^2$

Choose the correct answer from the options given below:

- (A) A-IV, B-I, C-III, D-II  
 (B) A-I, B-IV, C-III, D-II  
 (C) A-I, B-IV, C-II, D-III  
 (D) A-IV, B-I, C-II, D-III

**Official Ans. by NTA (B)**

**Allen Ans. (B)**



11. Dinitrogen and dioxygen. the main constituents of air do not react with each other in atmosphere to form oxides of nitrogen because

- (A)  $\text{N}_2$  is unreactive in the condition of atmosphere.  
 (B) Oxides of nitrogen are unstable.  
 (C) Reaction between them can occur in the presence of a catalyst.  
 (D) The reaction is endothermic and require very high temperature.

**Official Ans. by NTA (D)**

**Allen Ans. (D)**

12. The major product in the given reaction is



**Official Ans. by NTA (C)**

**Allen Ans. (C)**

13. Arrange the following in increasing order of reactivity towards nitration

- A. p-xylene  
 B. bromobenzene  
 C. mesitylene  
 D, nitrobenzene  
 E. benzene


Choose the correct answer from the options given below





- (A)  $\text{C} < \text{D} < \text{E} < \text{A} < \text{B}$   
 (B)  $\text{D} < \text{B} < \text{E} < \text{A} < \text{C}$   
 (C)  $\text{D} < \text{C} < \text{E} < \text{A} < \text{B}$   
 (D)  $\text{C} < \text{D} < \text{E} < \text{B} < \text{A}$

**Official Ans. by NTA (B)**

**Allen Ans. (B)**

14. Compound I is heated with Conc. HI to give a hydroxy compound A which is further heated with Zn dust to give compound B. Identify A and B.



- (A) A =  , B = 
- (B) A =  , B = 
- (C) A =  , B = 
- (D) A =  , B = 

**Official Ans. by NTA (D)**

**Allen Ans. (D)**

15. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**
- Assertion A** : Aniline on nitration yields ortho, meta & para nitro derivatives of aniline.

**Reason R**: Nitrating mixture is a strong acidic mixture.

In the light of the above statements, choose the **correct** answer from the options given below

- (A) Both A and R are true and R is the correct explanation of A
- (B) Both A and R are true but R is NOT the correct explanation of A
- (C) A is true but R is false
- (D) A is false but R is true

**Official Ans. by NTA (A)**

**Allen Ans. (A)**

16. Match List I with List II

List (Polymer)	List II(Nature)
A. $\left\{ \text{CH}_2 - \underset{\text{Cl}}{\text{C}} = \text{CH} - \text{CH}_2 \right\}_n$	I. Thermosetting polymer
B. $\left\{ \text{N}(\text{CH}_2)_6 - \underset{\text{H}}{\text{N}} - \overset{\text{O}}{\parallel} \text{C} - (\text{CH}_2)_4 - \overset{\text{O}}{\parallel} \text{C} \right\}_n$	II. Fibers
C. $\left\{ \text{CH}_2 - \underset{\text{Cl}}{\text{CH}} \right\}_n$	III. Elastomer
D. $\left\{ \text{C}_6\text{H}_4(\text{OH}) - \text{CH}_2 - \text{C}_6\text{H}_4(\text{OH}) - \text{CH}_2 \right\}_n$	IV. Thermoplastic polymer

Choose the correct answer from the options given below:

- (A) A-II, B-III, C-IV, D-I
- (B) A-III, B-II, C-IV, D-I
- (C) A-III, B-I, C-IV, D-II
- (D) A-I, B-III, C-IV, D-II

**Official Ans. by NTA (B)**

**Allen Ans. (B)**

17. Two statements in respect of drug-enzyme interaction are given below

**Statement I** : Action of an enzyme can be blocked only when an inhibitor blocks the active site of the enzyme.

**Statement II** : An inhibitor can form a strong covalent bond with the enzyme.

In the light of the above statements. Choose the **correct** answer from the options given below

- (A) Both Statement I and Statement II are true
- (B) Both Statement I and Statement II are false
- (C) Statement I is true but Statement II is false
- (D) Statement I is false but Statement II is true

**Official Ans. by NTA (D)**

**Allen Ans. (D)**

18. Given below are two statements : One is labelled as **Assertion A** and the other is labelled as **Reason R**

**Assertion A** : Thin layer chromatography is an adsorption chromatography.

**Reason R** : A thin layer of silica gel is spread over a glass plate of suitable size in thin layer chromatography which acts as an adsorbent.


In the light of the above statements, choose the **correct** answer from the options given below

- (A) Both A and R are true and R is the correct explanation of A  
 (B) Both A and R are true but R is NOT the correct explanation of A  
 (C) A is true but R is false  
 (D) A is false but R is true

**Official Ans. by NTA (A)**

**Allen Ans. (A)**


19. The formulas of A and B for the following reaction sequence are







- (A) A = C<sub>7</sub>H<sub>14</sub>O<sub>8</sub>, B = C<sub>6</sub>H<sub>14</sub>  
 (B) A = C<sub>7</sub>H<sub>13</sub>O<sub>7</sub>, B = C<sub>7</sub>H<sub>14</sub>O  
 (C) A = C<sub>7</sub>H<sub>12</sub>O<sub>8</sub>, B = C<sub>6</sub>H<sub>14</sub>  
 (D) A = C<sub>7</sub>H<sub>14</sub>O<sub>8</sub>, B = C<sub>6</sub>H<sub>14</sub>O<sub>6</sub>

**Official Ans. by NTA (A)**

**Allen Ans. (A)**



Find out the major product for the above reaction.

- (A)  (B)   
 (C)  (D) 

**Official Ans. by NTA (C)**

**Allen Ans. (C)**

### SECTION-B

1. 2L of 0.2 M H<sub>2</sub>SO<sub>4</sub> is reacted with 2L of 0.1 M NaOH solution, the molarity of the resulting product Na<sub>2</sub>SO<sub>4</sub> in the solution is \_\_\_\_ millimolar. (Nearest integer).

**Official Ans. by NTA (25)**

**Allen Ans. (25)**

2. Metal M crystallizes into a FCC lattice with the edge length of 4.0×10<sup>-8</sup> cm. The atomic mass of the metal is \_\_\_\_\_ g/mol. (Nearest integer).

(Use : N<sub>A</sub> = 6.02×10<sup>23</sup> mol<sup>-1</sup>, density of metal, M = 9.03 g cm<sup>-3</sup>)

**Official Ans. by NTA (87)**

**Allen Ans. (87)**

3. If the wavelength for an electron emitted from H-atom is 3.3×10<sup>-10</sup>m, then energy absorbed by the electron in its ground state compared to minimum energy required for its escape from the atom, is \_\_\_\_ times. (Nearest integer).

[Given : h = 6.626 × 10<sup>-34</sup> Js, Mass of electron = 9.1×10<sup>-31</sup>]

**Official Ans. by NTA (2)**

**Allen Ans. (2)**

4. A gaseous mixture of two substances A and B, under a total pressure of 0.8 atm is in equilibrium with an ideal liquid solution. The mole fraction of substance A is 0.5 in the vapour phase and 0.2 in the liquid phase. The vapour pressure of pure liquid A is \_\_\_\_\_ atm. (Nearest integer)

**Official Ans. by NTA (2)**

**Allen Ans. (2)**

5. At 600K, 2 mol of NO are mixed with 1 mol of O<sub>2</sub>.  
 2NO<sub>(g)</sub> + O<sub>2(g)</sub>  $\rightleftharpoons$  2NO<sub>2(g)</sub>

The reaction occurring as above comes to equilibrium under a total pressure of 1 atm. Analysis of the system shows that 0.6 mol of oxygen are present at equilibrium. The equilibrium constant for the reaction is \_\_\_\_\_. (Nearest integer).

**Official Ans. by NTA (2)**

**Allen Ans. (2)**

6. A sample of 0.125 g of an organic compound when analysed by Duma's method yields 22.78 mL of nitrogen gas collected over KOH solution at 280K and 759 mm Hg. The percentage of nitrogen in the given organic compound is \_\_\_\_\_. (Nearest integer).

(a) The vapour pressure of water at 280 K is 14.2 mm Hg

(b)  $R = 0.082 \text{ L atm K}^{-1} \text{ mol}^{-1}$

**Official Ans. by NTA (22)**

**Allen Ans. (22)**


7. On reaction with stronger oxidizing agent like  $\text{KIO}_4$ , hydrogen peroxide oxidizes with the evolution of  $\text{O}_2$ . The oxidation number of I in  $\text{KIO}_4$  changes to \_\_\_\_\_.

**Official Ans. by NTA (5)**

**Allen Ans. (5)**

8. For a reaction, given below is the graph of  $\ln k$  vs  $\frac{1}{T}$ . The activation energy for the reaction is equal to \_\_\_\_\_  $\text{cal mol}^{-1}$ . (Nearest integer).


(Given :  $R = 2 \text{ cal K}^{-1} \text{ mol}^{-1}$ )



**Official Ans. by NTA (8)**

**Allen Ans. (8)**

9. Among the following the number of curves not in accordance with Freundlich adsorption isotherm is \_\_\_\_\_.



**Official Ans. by NTA (3)**

**Allen Ans. (3)**

10. Among the following the number of state variable is \_\_\_\_\_.

Internal energy (U)

Volume (V)

Heat (q)

Enthalpy (H)

**Official Ans. by NTA (3)**

**Allen Ans. (3)**